




PROTECTION FRAMEWORK EN 343: 2019

This garment is designed to protect from bad weather, precipitations in the form of rain or snow, fog, spray and moisture on the ground.

For professional use: Fishing - agriculture - industry - cleaning or other activities requiring this kind of protection.

PERFORMANCE



The assembled parts are High Frequency welded, guaranteeing a waterproof accessory.

- Water penetration resistance \geq 20,000 Pa = **Class 4**
- Evaporative resistance = n/a
Ret > 40 m².Pa/W = **Class 1**

RESTRICTIONS ON USE

(specified in the EN 343: 2019 standard)

“A maximum continuous wear time is recommended for 1 full suit (jacket + trousers) without a thermal lining”

Ambient work temperature in °C	Time In minutes
25	60
20	75
15	100
10	240
5	Unlimited

PRINCIPAL MATERIALS

Nylpêche fabric - 485 g/m²

Composition: 69 % PVC – 31 % Polyester

Features:

- **WATERPROOF**
- **HEAVY DUTY**

INSTRUCTIONS

- CARE



- STORAGE

- Do not leave in package in damp surroundings.
- Store in dry surroundings at room temperature.
- Keep away from strong heat and flames.

THIS ARTICLE IS A

CATEGORY 1 PPE

And complies with EU regulation 2016/425

PPE = Personal Protective Equipment

ILLUSTRATION AND INSTRUCTIONS



Elastic arm circumference

Elastic cuff circumference



i The fabric and seams are waterproof, but the specific shape of this article means that it is not completely waterproof unless a PPE class jacket, smock or coat is worn.

SIZE TABLE

Size	Size of the person's body (in cm)		Guideline to cuff measurements (in cm)		
	Arm circumference	Cuff circumference	Length of cuff	Arm circumference	Cuff circumference
One size	30-48	16-23	44	34 (Elastic unstretched)	28 (Elastic unstretched)
				51 (Elastic stretched)	36 (Elastic stretched)



Colour: yellow,

Size: one

The lifespan of the garment is linked to conditions of use, storage and the quality of its care.