


PROTECTION FRAMEWORK EN 343: 2019

This garment is designed to protect from bad weather, precipitations in the form of rain or snow, fog, spray and moisture on the ground.

For professional use: Fishing - agriculture - industry - cleaning or other activities requiring this kind of protection.

PERFORMANCE


The assembled parts are High Frequency welded, guaranteeing a waterproof garment.

- Water penetration resistance $\geq 20,000 \text{ Pa} = \text{Class 4}$
- Evaporative resistance = n/a
Ret $> 40 \text{ m}^2 \cdot \text{Pa} / \text{W} = \text{Class 1}$

RESTRICTIONS ON USE

(specified in the EN 343: 2019 standard)

“A maximum continuous wear time is recommended for 1 full suit (jacket + trousers) without a thermal lining”

Ambient work temperature in °C	Time in minutes
25	60
20	75
15	100
10	240
5	Unlimited

PRINCIPAL MATERIALS

Nylpêche fabric - 485 g/m²

Composition: 69 % PVC – 31 % Polyester

Double-sided coating

Features:

- **WATERPROOF**
- **HEAVY DUTY**

INSTRUCTIONS

- CARE



- STORAGE

- Do not leave in package in damp surroundings.
- Store in dry surroundings at room temperature.
- Keep away from strong heat and flames.

ILLUSTRATION AND INSTRUCTIONS


“MAGIC” hood (patented) that moves with the head

Hood allows the wearing of a hard hat

Kimono cut for ease of movement

Elasticated cuffs with snap fasteners



Heavy-duty zip fastener with double slider beneath double self-grip flap



Waterproof pockets under double self-grip flap



Knee-length



For maximum protection, the OSTREICOLE coat can be worn with PPE class trousers, chaps or leggings.

SIZE TABLE

Size	Size of the person's body (in cm)		Guideline measurements of clothing (in cm)
	Stature	Chest size	Chest size
S	165-170	86-94	140
M	170-180	94-102	146
L	175-185	102-110	154
XL	180-190	110-124	160
XXL	185+	124-134	166



Colour: yellow

Sizes: S - M - L - XL - XXL

The lifespan of the garment is linked to conditions of use, storage and the quality of its care.